



TECHNICAL INFORMATION

LEAD-FREE TERMINATION

LEAD-FREE TERMINATION

Introduction

Around the world, legislation is being developed to reduce the LEAD content in many products and thereby reduce environmental impact when such products are discarded.

The reasons for this include:

- Lead leaches from discarded circuit boards and pollutes underground water sources and rivers
- It can be absorbed into the human body from drinking water and food causing a variety of harmful effects on people's health
- Lead has an impact to development/function of many organ systems, especially the central nervous system and can cause:
 - Encephalopathy & irreversible brain damage
 - Hematological (anemia), gastrointestinal (colic), kidney, and thyroid
- Increased levels of lead in the blood of children has an effect on their IQ
- It has been implicated in many types of cancer
- Lead is EPA classified "Probable Human Carcinogen Class B2"
 - Symptoms of lead poisoning noted at levels as low as 10 µg/dL (infants) and 30 µg/dL (adults)

As previously announced in March 2000, AVX Tantalum intends to remove LEAD from the current tin-lead leadframe plating material to a LEAD-FREE tin based system. This will affect the TAJ, THJ and TPS series. The TAC series is lead-free.

The plating system chosen is capable of being used with existing tin-lead solder pastes and the new lead-free solder pastes.

Implementation Timeline

- Mechanical samples with pure tin finish **July 2000**
- Lead-Free samples and Data package containing details of the mechanical properties and compatibility with existing tin/lead solder systems of the new termination finish **September 2000**
- Mass manufacture **January 1st, 2001**

Contacts

If technical assistance is required, please send us an e-mail on:

leadfree-tantalum@avx.cz

(Customer service tantalum lead-free e-mail)

or contact the Technical Marketing group in either Paignton (UK) or Lanskroun (Czech Republic).

Lanskroun contact number:

Tomas Zednicek +420 467 558126
Stanislav Moravec +420 467 558127

Paignton contact number:

Richard Camp +44 1803 697258

USA

**AVX Myrtle Beach, SC
Corporate Offices**
Tel: 843-448-9411
FAX: 843-626-5292

AVX Northwest, WA
Tel: 360-699-8746
FAX: 360-699-8751

AVX North Central, IN
Tel: 317-848-7153
FAX: 317-844-9314

AVX Mid/Pacific, MN
Tel: 952-974-9155
FAX: 952-974-9179

AVX Southwest, AZ
Tel: 480-539-1496
FAX: 480-539-1501

AVX South Central, TX
Tel: 972-669-1223
FAX: 972-669-2090

AVX Southeast, NC
Tel: 919-878-6223
FAX: 919-878-6462

AVX Canada
Tel: 905-564-8959
FAX: 905-564-9728

EUROPE

**AVX Limited, England
European Headquarters**
Tel: ++44 (0) 1252 770000
FAX: ++44 (0) 1252 770001

AVX S.A., France
Tel: ++33 (1) 69.18.46.00
FAX: ++33 (1) 69.28.73.87

AVX GmbH, Germany - AVX
Tel: ++49 (0) 8131 9004-0
FAX: ++49 (0) 8131 9004-44

AVX GmbH, Germany - Elco
Tel: ++49 (0) 2741 2990
FAX: ++49 (0) 2741 299133

AVX srl, Italy
Tel: ++390 (0)2 614571
FAX: ++390 (0)2 614 2576

AVX Czech Republic, s.r.o.
Tel: ++420 (0)467 558340
FAX: ++420 (0)467 558345

ASIA-PACIFIC

**AVX/Kyocera, Singapore
Asia-Pacific Headquarters**
Tel: (65) 258-2833
FAX: (65) 350-4880

AVX/Kyocera, Hong Kong
Tel: (852) 2-363-3303
FAX: (852) 2-765-8185

AVX/Kyocera, Korea
Tel: (82) 2-785-6504
FAX: (82) 2-784-5411

AVX/Kyocera, Taiwan
Tel: (886) 2-2696-4636
FAX: (886) 2-2696-4237

AVX/Kyocera, China
Tel: (86) 21-6249-0314-16
FAX: (86) 21-6249-0313

AVX/Kyocera, Malaysia
Tel: (60) 4-228-1190
FAX: (60) 4-228-1196

Elco, Japan
Tel: 045-943-2906/7
FAX: 045-943-2910

Kyocera, Japan - AVX
Tel: (81) 75-604-3426
FAX: (81) 75-604-3425

Kyocera, Japan - KDP
Tel: (81) 75-604-3424
FAX: (81) 75-604-3425

Contact:

NOTICE: Specifications are subject to change without notice. Contact your nearest AVX Sales Office for the latest specifications. All statements, information and data given herein are believed to be accurate and reliable, but are presented without guarantee, warranty, or responsibility of any kind, expressed or implied. Statements or suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that all safety measures are indicated or that other measures may not be required. Specifications are typical and may not apply to all applications.

© AVX Corporation



<http://www.avxcorp.com>

S-LFT00M301-N